

↕ **irion** **LANCER** **JUMBO**

 **bulmor**
strong sideloader solutions



Sideloader

- Sideloader
- Multidirectional sideloader



Efficient, fast and safe

**Glued laminated timber
profiles
pipes
steel**

Our machines handle any long and heavy material.
We offer comfortable and safe handling of goods.

This is why BULMOR holds a worldwide leading position in
the strongest markets for heavy-duty and special-purpose
vehicles.



Home of strong sideloader brands



Established in 1879 as the Schöberl & Sons Engine- and Machine Factory, the company started to build front forklifts in the 1960s and later specialized on building JUMBO sideloaders in the 1980s.

By integrating technology and experience from the industry pioneers IRION, LANCER, and the German SHS, and with more than 45 years experience in forklift construction, BULMOR is able to offer tailored solutions based on a comprehensive range of sideloaders and multidirectional forklifts.

Engineering tradition since 1879





Sideloaders lifting 8,500 - 17,500 lbs



Unique and **solid construction**

for extreme durability and stability




This Bulmor sideloaders lifts fast and comfortably loads of any sort weighing up to 17,500 lbs. High availability and excellent durability are characteristic for these machines.



The exceptionally resilient lift mast, the inwards moved right front wheel, which allows for outstanding agility also while maximum steering angle, as well as the highly comfortable cabin form the basis for exceptional operations. With regards to your individual requirements and application, we offer highest performance when it comes to the most suitable drive options.

Big service flaps allow for efficient and easy maintenance, allowing for high availability of the machines.



Safe Load Handling

Safe loading thanks to massive mast and chassis tilt cylinders.

Robust design
Individually produced
Extreme longevity



Designed for
easy maintenance

bulmor
strong sideloader solutions



Comfortable driving
due to the ergonomic
driver's cabin



Stage V
internal
warehouse
use



Classic Line



Premium Line

Diesel Sideloader

optional with gas

DQnr 85 // 110

DQn 85 // 110

Engine / power in kW (PS)

55.4 (75) Internal warehouse use: Yes

55.4 (75) Internal warehouse use: Yes

Lifting capacity

up to 8,5000 // 11,000 lbs

up to 8,500 // 11,000 lbs

Lifting height

up to 314.96"

up to 314.96"

Overall dimension (L x B x H)

169.29/177.17 x 78.74 / 86.61 / 94.49 x 102.76 //
169.29/177.17 x 79.92 / 87.80 / 95.67 x 102.76

169.29/177.17 x 78.74 / 86.61 / 94.49 x 102.76 //
169.29/177.17 x 79.92 / 87.80 / 95.67 x 102.76

Turning radius (Wa/Wi)

178.74 (174.02) / 35.83 // 171.26 (166.54) / 22.83

178.74 (174.02) / 35.83 // 171.26 (166.54) / 22.83

Well width

51.18 // 59.06

51.18 // 59.06

Platform width

47.24 / 55.12 / 62.99

47.24 / 55.12 / 62.99

Platform height

33.46

33.46

Battery

12V / 75 Ah

12V / 150 Ah

Mast types

Duplex / Triplex / Freelift

Duplex / Triplex / Freelift

Technology

- Conventional hydraulics and electrics
- Hydraulic end-position damping

Load Sensing System

Electronic end-position damping

CAN Technology


Cabin



Basic cabin

Standard cabin with 30.74" width (optional: 38.58"), tinted slices and sliding window

- large Skylight with hinged protective grid
- Standard display
- Heating
- Suspended seat
- Sliding window on load side
- BeGe health seat with seat belt



Premium cabin

Vibration-damped comfort cabin with 30.74" width (optional: 38.58")

- Suspended seat
- Displayable windscreen
- Hinged protective grid on the roof
- BeGe health seat with seat belt
- Ergonomic armrest
- Multifunction display and joystick

Options

**Can be customized
with standard options**

Comprehensive option catalog:

- Automatic dipped beam control
- Backup camera
- Automatic back-up alarm
- Easy Key



Classic Line

DQrc 110 // 130



Classic Line

DQr 130 // 150 // 175



Premium Line

DQ 130 // 150 // 175

55.4 (75) Internal warehouse use: Yes	74,5 (100) Internal warehouse use: Yes	74.5 (100) Internal warehouse use: Yes
up to 11,000 // 13,000 lbs	up to 13,000 // 15,000 // 17,500 lbs	up to 13,000 // 15,000 // 17,500 lbs
up to 314.96 "	up to 314.96"	up to 314.96"
181.50 x 86.61 (78.74) x 109.84 // 187.40 x 88.98 (81.10) x 109.84	194.88 x 78.74-118.11 x 109.84 // 194.88 x 81.89- 120.47 x 109.84 // 194.88 x 82.68- 121.26 x 109.84 //	194.88 x 78.74-118.11 x 109.84 // 194.88 x 81.89- 120.47 x 109.84 // 194.88 x 82.68- 121.26 x 109.84 //
175.59 (170.87) / 31.50 // 183.07 (178.35) / 31.50	181.50 (176.77) / 31.50 // 183.07 (178.35) / 31.50	181.10 (176.77) / 27.56 // 182.68 (178.35) / 27.56 // 183.07 (178.74) / 27.56
51.18 // 59.06	59.06	59.06
47.24 / 55.12 / 62.99	47.24 - 86.61	47.24 - 86.61
40.55	40.55	40.55
12V / 75 Ah	12V / 150 Ah	12V / 150 Ah
Duplex / Triplex / Freelif	Duplex / Triplex / Freelif	Duplex / Triplex / Freelif
<ul style="list-style-type: none"> Conventional hydraulics and electrics Hydraulic end-position damping 	<ul style="list-style-type: none"> Conventional hydraulics and electrics Hydraulic end-position damping 	<div>Load Sensing System</div> <div>Electronic end-position damping</div> <div>CAN Technology</div>
 <p>Basic cabin Standard cabin with 30.74" width, tinted slices and sliding window</p> <ul style="list-style-type: none"> large Skylight with hinged protective grid Standard display Heating Suspended seat Sliding window on load side BeGe health seat with seat belt 	 <p>Basic cabin Standard cabin with 30.74" width, tinted slices and sliding window</p> <ul style="list-style-type: none"> large Skylight with hinged protective grid Standard display Heating Suspended seat Sliding window on load side BeGe health seat with seat belt 	 <p>Premium cabin Vibration-damped comfort cabin with 30.74" width (optional: 38.58")</p> <ul style="list-style-type: none"> Suspended seat Displayable windscreen Hinged protective grid on the roof BeGe health seat with seat belt Ergonomic armrest Multifunction display and joystick
<p>Can be customized with standard options</p>	<p>Can be customized with standard options</p>	<p>Comprehensive option catalog:</p> <ul style="list-style-type: none"> Automatic dipped beam control Backup camera Automatic back-up alarm Easy Key

Engineering tradition since 1879



- Sideloaders
- Multidirectional sideloaders
- Ground Support Equipment

bulmor usa inc
12112 Anderson Mill Road, Suite 1B
Austin, TX 78726
cell: (312) 721-0238

e-mail: usa@bulmor.com
www.bulmor.us